Solar activity reached low levels this period. Region 2389 (S11, L=164, class/area=Dai/80 on 25 Jul) produced three low-level C-class flares throughout the period which were the largest observed events. Region 2389 produced a C1 flare at 24/0315 UTC, a C2/Sf flare at 24/1444 UTC, and a C1 flare at 26/1234 UTC but none of these events resulted in coronal mass ejections (CMEs) that were Earth-directed. Region 2390 (S15, L=198, class/area=Dac/130 on 26 Jul) underwent moderate penumbral development and increased in magnetic complexity late in the period, but remained largely unproductive. No Earth-directed CMEs were detected in SOHO/LASCO coronagraph imagery throughout the period.

No proton events were observed at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit reached high levels on 20, 26 Jul with moderate levels observed on 21-22, and 24-25 Jul. The electron flux decreased to normal levels on 23 Jul in response to enhanced geomagnetic field activity attributed to a combination of CME and coronal hole high speed stream (CH HSS) influence.

Geomagnetic field activity reached active to G1 (Minor) geomagnetic storm levels on 23 Jul due to a combination of the arrival of the 19 Jul CME (filament eruption) and the onset of a weak positive polarity CH HSS. Active conditions were observed at 23/0300-0600 UTC and 23/1800-2100 UTC and G1 storm conditions were observed at 23/0600-0900 UTC. The geomagnetic field was at quiet or quiet to unsettled levels for the remainder of the period under an ambient solar wind environment followed by weak CH HSS influence.

Space Weather Outlook 27 July - 22 August 2015

Solar activity is expected to be at very low to low levels throughout the period with a slight chance of M-class (R1-R2/Minor-Moderate) flare activity between 28 Jul-10 Aug due to the return of Region 2381 (N14, L=074) which produced two M-class flares last rotation.

No proton events are expected at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to be at normal to moderate levels on 29 Jul, 01, 07, and 17 Aug with high levels expected throughout the remainder of the period.

Geomagnetic field activity is likely to reach G1 (Minor) geomagnetic storm levels on 07 Aug with active levels expected on 29 Jul, 02, 08-09, and 19 Aug, all in response to the influence of recurrent CH HSS. Quiet to unsettled geomagnetic field activity is expected throughout the remainder of the period under an ambient solar wind environment.



Daily Solar Data

	Radio	Sun	Sunspot	X-ray]	Flares	ares						
	Flux	spot	Area	Background		X-ray			Optical						
Date	10.7cm	No.	(10 ⁻⁶ hemi.)	Flux	C	M	X	S	1	2	3	4			
20 July	93	39	160	B2.2	0	0	0	0	0	0	0	0			
21 July	91	37	150	B1.7	0	0	0	0	0	0	0	0			
22 July	89	35	90	B1.5	0	0	0	1	0	0	0	0			
23 July	89	27	40	B1.7	0	0	0	1	0	0	0	0			
24 July	92	54	70	B2.2	3	0	0	10	1	0	0	0			
25 July	94	41	130	B2.2	0	0	0	1	0	0	0	0			
26 July	97	38	190	B2.3	1	0	0	6	0	0	0	0			

Daily Particle Data

		Proton Fluen	ce	Electron Fluence					
	(pro	otons/cm ² -da	ny -sr)	(electrons/cm ² -day -sr)					
Date	>1 MeV	>10 MeV	>100 MeV	>0.6 MeV	>2MeV	>4 MeV			
20 July	4.6e+05	1.1e+04	2.8e+03		8.2e+07				
21 July	4.0e + 05	1.1e+04	2.6e+03		3.3e+06				
22 July	1.7e + 05	1.1e+04	2.8e+03		2.9e+06				
23 July	1.6e + 05	1.1e+04	2.7e+03		1.5e + 06				
24 July	1.6e + 05	1.1e+04	2.8e+03		6.2e + 06				
25 July	1.3e+05	1.1e+04	2.7e+03		3.1e+07				
26 July	2.7e+05	1.1e+04	2.6e+03		3.5e+07				

Daily Geomagnetic Data

	N	Middle Latitude		High Latitude	Estimated			
	F	Fredericksburg		College	Planetary			
Date	A	K-indices	A	K-indices	A	K-indices		
20 July	7	1-1-1-3-2-2-2	7	0-1-1-4-3-0-1-1	5	1-1-1-2-2-1-1-2		
21 July	12	3-3-2-3-2-2-3-3	19	3-3-4-5-4-2-2-2	10	3-3-3-2-2-2-3		
22 July	9	1-1-1-3-3-3-2-2	7	1-1-0-4-2-2-1	8	1-1-1-2-2-3-2-2		
23 July	21	3-4-5-3-3-3-3	33	3-4-7-4-3-3-3-2	23	3-4-5-3-3-3-4-3		
24 July	6	2-1-2-1-2-2-1	12	3-1-1-1-5-3-2-1	7	2-2-2-1-2-2-2		
25 July	9	2-1-2-2-3-2-2-3	12	3-2-3-3-4-1-2-2	9	3-2-3-3-2-1-2-3		
26 July	9	3-2-1-3-2-2-2	9	2-1-1-4-2-3-2-1	8	3-2-1-3-1-2-2-2		




Alerts and Warnings Issued

Date & Time of Issue UTC	Type of Alert or Warning	Date & Time of Event UTC
20 Jul 0501	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	14/1315
23 Jul 0158	WARNING: Geomagnetic $K = 4$	23/0200 - 0900
23 Jul 0451	ALERT: Geomagnetic K = 4	23/0451
23 Jul 0603	EXTENDED WARNING: Geomagnetic K = 4	23/0200 - 1600
23 Jul 0603	WARNING: Geomagnetic $K = 5$	23/0600 - 1300
23 Jul 0801	ALERT: Geomagnetic K = 5	23/0800
23 Jul 2010	WARNING: Geomagnetic $K = 4$	23/2009 - 24/0700
23 Jul 2103	ALERT: Geomagnetic K = 4	23/2059
26 Jul 1850	ALERT: Electron 2MeV Integral Flux >= 1000pfu	26/1835



Twenty-seven Day Outlook



Date	Radio Flux 10.7cm	Planetary A Index	Largest Kp Index	Date	Radio Flux 10.7cm	•	Largest Kp Index
27 Jul	100	5	2	10 Aug	95	8	3
28	105	10	3	11	95	5	2
29	110	18	4	12	95	5	2
30	110	10	3	13	95	5	2
31	110	5	2	14	90	5	2
01 Aug	115	10	3	15	85	5	2
02	110	12	4	16	100	10	3
03	115	5	2	17	100	5	2
04	115	5	2	18	105	5	2
05	110	5	2	19	110	15	4
06	105	10	3	20	105	10	3
07	100	20	5	21	110	5	2
08	100	15	4	22	110	5	2
09	100	15	4				



Energetic Events

	Time			X-	-ray	Optical Information			P	Peak		Freq
		Half			Integ	Imp/	Location	Rgn	Radi	o Flux	Inten	sity
Date	Begin	Max	Max	Class	Flux	Brtns	Lat CMD	#	245	2695	II	IV

No Events Observed

Flare List

Time	X-ray			Optical					
	11 Iuj	Imp/	Location	Rgn					
Date Begin Max End	Class	Brtns	Lat CMD	#					
20 Jul 0432 0452 0505	B6.4			2388					
21 Jul 0523 0547 0620	B5.3			2384					
21 Jul 1216 1220 1225	B2.9			2387					
22 Jul 0354 0357 0401	B2.4			2386					
22 Jul B1011 U1011 A1013		SF	N15W13	2387					
23 Jul 2242 2244 2248		SF	S13E86						
24 Jul 0102 0103 0105		SF	S13E81						
24 Jul 0307 0312 0315	C1.0			2389					
24 Jul 0342 0348 0351	B4.0								
24 Jul 0502 0517 0538	B4.9			2389					
24 Jul 0638 0638 0643		SF	S08E72	2389					
24 Jul 0805 0823 0847	B5.2			2389					
24 Jul 0947 0952 0956	B4.6			2389					
24 Jul 1243 1251 1302		SF	S12E68	2389					
24 Jul 1310 1312 1317		SF	S12E68	2389					
24 Jul 1325 1330 1343		SF	S12E70	2389					
24 Jul 1412 1419 1422		SF	S14E70	2389					
24 Jul 1435 1444 1449	C2.0	SF	S14E70	2389					
24 Jul 1736 1737 1741		SF	S14E67	2389					
24 Jul 1749 1755 1800	C2.6	1F	S14E67	2389					
24 Jul 2045 2049 2057	B4.6			2389					
24 Jul 2307 2307 2310		SF	S12E63	2389					
24 Jul 2326 2338 2351	B6.9	SF	S11E62	2389					
25 Jul 0110 0110 0120		SF	S12E62	2389					
26 Jul 0550 0553 0602		SF	S09E47	2389					
26 Jul 0920 0923 0926	B4.0	SF	S10E44	2389					
26 Jul 1020 1024 1026	B5.8	SF	S10E44	2389					
26 Jul 1134 1137 1139	B6.1			2389					
26 Jul 1228 1234 1236	C1.1			2389					
26 Jul 1459 U1459 A1501		SF	S10E42	2389					
26 Jul B1526 1531 1532		SF	S10E42	2389					



Flare List

					Optical						
		Time		2	X-ray	Imp/	Location	Rgn			
Date	Begin	Max	End	(Class	Brtns	Lat CMD	#			
26 Jul	1615	1615	1618			SF	S13E40	2389			



Region Summary

	Locatio	on	Su	nspot C	haracte	ristics		Flares							
		Helio	Area	Extent	Spot	Spot	Mag	>	K-ray			O	ptica	1	
Date	Lat CMD	Lon 1	10 ⁻⁶ hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
·															
		Regio	on 2384												
08 Jul	S18E62	15	120	2	Hsx	2	A								
09 Jul	S17E47	17	140	2	Hsx	1	Α				1				
10 Jul	S18E36	15	180	2	Cso	4	В				1				
11 Jul	S18E23	15	180	3	Cao	5	В								
12 Jul	S18E09	15	170	3	Cao	7	В								
13 Jul	S18W05	16	170	3	Cso	8	В								
14 Jul	S18W18	16	150	3	Cso	3	В								
15 Jul	S18W29	14	120	4	Cso	5	В								
16 Jul	S18W43	14	90	4	Hsx	4	Α								
17 Jul	S17W57	15	80	2	Hsx	1	Α				1				
18 Jul	S17W69	14	90	2	Hsx	1	A								
19 Jul	S17W80	12	60	2	Hsx	1	A								
								0	0	0	3	0	0	0	0
Crossed	l West Limb) .													
Absolut	te heliograp	hic lon	gitude: 1	6											
		Regio	on 2386												
12 Jul	N11E71	312	120	4	Hsx	1	A								
13 Jul	N11E57	314	60	2	Hsx	1	A								
14 Jul	N11E43	315	60	2	Hsx	1	Α								
15 Jul	N11E30	315	70	4	Hsx	2	A								
16 Jul	N11E18	313	70	4	Hsx	2	A								
17 Jul	N11E04	314	70	2	Hsx	2	A								
18 Jul	N11W07	312	90	2	Hsx	2	A								
19 Jul	N11W20	312	60	4	Hax	4	A								

2

2

2

1

2

Hsx

Hsx

Hsx

Hax

Hax

1

1

1

1

1

A

A

A

A

A

40

40

30

20

20

N11W34

N10W48

N10W61

N09W74

N09W87

20 Jul

21 Jul

22 Jul

23 Jul

24 Jul

Crossed West Limb. Absolute heliographic longitude: 314

312

313

313

313

313



Region Summary - continued

-	Location	on	Su	nspot C	haracte	ristics		Flares							
		Helio		Extent			Mag	X	K-ray				ptica	ıl	
Date	Lat CMD	Lon	10 ⁻⁶ hemi.		_	_	Class	C	M	X	S	1	2	3	4
		ъ.	2205												
		Regi	on 2387												
14 Jul	N17E90	270	plage					1							
16 Jul	N17E61	270	30	6	Cai	5	В								
17 Jul	N17E47	271	40	7	Dac	7	В				1				
18 Jul	N17E34	271	120	10	Dai	7	В				1				
19 Jul	N17E18	274	100	9	Dai	11	В								
20 Jul	N17E04	274	120	10	Dai	18	В								
21 Jul	N16W10	275	110	10	Dai	16	В								
22 Jul	N17W24	276	60	9	Csi	14	В				1				
23 Jul	N16W35	274	20	10	Cro	6	В								
24 Jul	N17W48	274	10	8	Bxo	5	В								
25 Jul	N17W62	274	plage												
26 Jul	N17W76	275	plage												
Still on Absolut	Disk. te heliograp	hic lor	ngitude: 2	74				1	0	0	3	0	0	0	0
		Regi	on 2389												
24 Jul	S11E62	164	30	5	Cai	6	В	3			9	1			
25 Jul	S11E48	164	80	8	Dai	11	BG	3			1	1			
26 Jul	S11E35	164	60	7	Cai	8	BG	1			6				
20 341	5111233	101	00	,	Cui	O	В	4	0	0	16	1	0	0	0
Still on Absolut	Disk. te heliograp	hic lor	ngitude: 1	64				·	Ü	Ü	10	•	Ü	Ü	Ü
		Regi	on 2390												
0.4 T1	015000	_		2	D	2	D								
24 Jul	S15E28	198	10	3	Bxo	2	В								
25 Jul	S15E13	199	50	6	Dai	10	В								
26 Jul	S15E01	198	130	7	Dac	10	BG	Ω	0	0	Λ	0	0	0	0
Still on	Disk							0	0	0	0	0	0	0	0

Still on Disk. Absolute heliographic longitude: 198




Recent Solar Indices (preliminary) Observed monthly mean values

		5	Sunspot Nu	ımbers	·	Radio	Flux	Geoma	gnetic
	Observe	ed values	_	Smooth	values	Penticton		Planetary	_
Month	SEC	RI	RI/SEC	SEC	RI	10.7 cm	Value	Ap	Value
				,	2013			-	
July	86.1	57.0	0.66	97.9	65.5	115.6	123.9	9	7.3
August	90.2	66.0	0.73	103.7	68.9	114.7	127.9	9	7.6
September	55.0	37.0	0.67	111.0	73.0	102.7	132.3	5	7.8
October	127.1	85.6	0.67	114.3	74.9	132.3	134.7	7	7.8
November	125.7	77.6	0.62	114.6	75.3	148.4	135.4	5	7.9
December	118.2	90.3	0.76	115.4	75.9	147.7	135.9	5	7.5
				,	2014				
January	125.9	81.8	0.65	117.7	77.3	158.6	137.3	6	7.1
February	174.6	102.3	0.59	119.5	78.3	170.3	138.6	12	6.9
March	141.1	91.9	0.65	123.2	80.8	149.9	140.8	6	7.2
April	130.5	84.7	0.65	124.8	81.9	144.3	143.5	9	7.5
May	116.8	75.2	0.64	122.3	80.5	130.0	144.7	7	7.9
June	107.7	71.0	0.66	121.4	79.7	122.2	145.5	7	8.4
July	113.6	72.4	0.64	120.4	78.5	137.3	145.2	5	8.8
August	106.2	74.6	0.70	115.1	75.5	124.7	142.8	9	8.9
September		87.6	0.69	107.4	70.8	146.1	140.1	11	9.3
October	92.0	60.6	0.66	101.7	67.3	153.7	138.4	10	9.9
November	101.8	70.2	0.69	97.9	65.4	155.7	137.4	10	10.1
December	120.0	76.7	0.65	95.2	56.0	158.7	137.0	12	10.5
				,	2015				
January	101.2	67.0	0.66	4	2013	141.7		10	
February	70.6	44.8	0.63			128.8		10	
March	61.7	38.4	0.63			126.0		17	
March	01.7	<i>3</i> 0. 4	0.02			120.0		1 /	
April	72.5	54.4	0.75			129.2		12	
May	83.0	58.8	0.71			120.1		9	
June	77.3	41.0	0.53			123.2		14	

Note: Values are final except for the most recent 6 months which are considered preliminary. Cycle 24 started in Dec 2008 with an RI=1.7.





Weekly Geosynchronous Satellite Environment Summary Week Beginning 20 July 2015

The proton flux plot contains the five-minute averaged integral proton flux (protons/cm²-sec -sr) as measured by the SWPC Primary GOES satellite, near West 75, for each of three energy thresholds: greater than 10, 50, and 100 MeV.


The electron flux plot contains the five-minute averaged integral electron flux (electrons/cm²-sec -sr) with energies greater than 2 MeV by the SWPC Primary GOES satellite.

The Hp plot contains the five minute averaged Hp magnetic field component in nanoteslas (nT) as by the SWPC Primary GOES satellite. The Hp component is parallel to the spin axis of the satellite, which is nearly parallel to the Earth's rotation axis.

The Estimated 3-hour Planetary Kp-index is derived at the NOAA Space Weather Prediction Center using data from the following ground-based magnetometers: Boulder, Colorado; Chambon la Foret, France; Fredericksburg, Virginia; Fresno, California; Hartland, UK; Newport, Washington; Sitka, Alaska. These data are made available thanks to the cooperative efforts between SWPC and data providers around the world, which currently includes the U.S. Geological Survey, the British Geological Survey, and the Institut de Physique du Globe de Paris.

The data included here are those now available in real time at the SWPC and are incomplete in that they do not include the full set of parameters and energy ranges known to cause satellite operating anomalies. The proton and electron fluxes and Kp are 'global' parameters that are applicable to a first order approximation over large areas. H parallel is subject to more localized phenomena and the measurements generally are applicable to within a few degrees of longitude of the measuring satellite.





Weekly GOES Satellite X-ray and Proton Plots Week Beginning 20 July 2015

The x-ray plots contains five-minute averages x-ray flux (Watt/ m^2) as measure by the SWPC primary GOES X-ray satellite, usually at West 105 longitude, in two wavelength bands, 0.05 - 0.4 and 0.1 - 0.8 nm. The letters A, B, C, M and X refer to x-ray event levels for the 0.1 - 0.8 nm band.

The proton plot contains the five-minute averaged intergral flux units (pfu = protons/cm 2 -sec -sr) as measured by the primary SWPC GOES Proton satellite for each of the energy thresholds: >1, >10, >30, and >100 MeV. The P10 event threshold is 10 pfu at greater than 10 MeV.



Preliminary Report and Forecast of Solar Geophysical Data (The Weekly)

Published every Monday by the Space Weather Prediction Center.

U.S. Department of Commerce NOAA / National Weather Service Space Weather Prediction Center 325 Broadway, Boulder CO 80305

Notice: The 27-day Outlook, Satellite Environment, X-ray and Proton plots have been redesigned. Comments and suggestions are welcome SWPC.Webmaster@noaa.gov

The Weekly has been published continuously since 1951 and is available online since 1997.

http://spaceweather.gov/weekly/ -- Current and previous year http://spaceweather.gov/ftpmenu/warehouse.html -- Online achive from 1997 http://spaceweather.gov/ftpmenu/ -- Some content as ascii text

http://spaceweather.gov/SolarCycle/ -- Solar Cycle Progression web site

http://spaceweather.gov/contacts.html -- Contact and Copyright information http://spaceweather.gov/weekly/Usr_guide.pdf -- User Guide

